

| CERTIFICATE OF TRANSMISSION BY FACSIMILE (37 CFR 1.8) Applicant(s): STEVEN H. HOLMES ET AL. | | | | Docket No. FIS920030151USI | |
|---|--|--|--------------|-------------------------------|--|
| Serial N . 10/604,009 | Filing Date 06/20/2003 | Examiner T. QUACH | | Group Art Unit 2814 | |
| | OR IMAGE REVERSAL OF IMI EXPOSURE AND STRUCTURE | | 1 | RECEIVED TRAL FAX CENTER | |
| | | | | IUN 1 5 2004 | |
| I hereby certify that this | nitted to the United States Patent | Transmittal and Amendment (Identify type of correspondence) and Trademark Office (Fax. | No. <u>7</u> | 03-872-9306 | |
| on 06/15/20 | 004 | | _ | | |
| | | Jessica L. (Typed or Printed Nama of Perinted Nama of Pe | rson Sign | ing Certificate) | |
| Note: Each paper must have its own certificate of mailing. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

RECEIVED
CENTRAL FAX CENTER



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| Applicant: | STEVEN J. HOLMES, ET AL. |) Group Art Unit: 2814 | | |
|-------------|--|------------------------------|--|--|
| Scrial No.: | 10/604,009 |)) | | |
| Filed: | June 20, 2003 |) Examiner: Quach, T. | | |
| For: | METHOD FOR IMAGE REVERSAL OF IMPLANT RESIST USING A SINGLE PHOTOLITHOGRAPHY EXPOSURE |)) Confirmation No.: 1008) | | |

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

In response to the Notice of Drawings Inconsistency with Specification mailed May 27, 2004, please amend the Application as follows: